



Department of **Environmental Protection**

Naval Station Mayport Administrative Record 09.01.00.0119

Secretary

Virginia B. Wetherell

Twin Towers Building 2600 Blair Stone Road Tallahassee, Florida 32399-2400

February 20, 1996

Mr. David Driggers Department of the Navy; Southern Division Naval Facilities Engineering Command 2155 Eagle Drive, PO Box 190010 North Charleston, SC. 29419-9010

file: gp4svwp.doc

RE:

Final RFA/SV Workplan for Group IV SWMUs 47, 53, 54 and 55 and

Areas of Concern A and B, NAVSTA Mayport

Dear David:

I have reviewed the above document dated November, 1995 (received November 6, 1995). The document has incorporated most of my previous comments; however, the Navy needs to adequately clarify how it will assess SVOCs (namely residual oily waste compounds and PAHs) in the soil and ground water at SWMU 47, the oily waste collection system. The response to my previous question in this regard was adequate for the assessment of possible solvent contamination; however, the description does not describe the adequacy of the SCAPS method for PAHs and associated compounds nor does the workplan indicate that soil and water conformational sampling (as described in Section 2.4.2 for SWMU 55) for laboratory analysis will occur. Please address these aspects in the workplan.

With respect to SWMU 54 and AOCs A and B, please add my letter of June 28, 1995 (copy attached) to Lt. Commander Douglas P. Tomlinson to the present documentation in Appendix A; additionally, please document in Appendix A the response from EPA concurring in the request that SWMU 54 and AOCs A and B be transferred to the Department's Chapter 62-761 and 62-770, F.A.C. programs.

Thank you for the opportunity to review this document. If you have questions or require further clarification, please contact me at (904) 921-9994.

emedial Project Manager

Mr. David Driggers February 20, 1996 Page two

cc: Cheryl Mitchell, NAVSTA Mayport
Martha Berry, EPA Region IV, Atlanta
Pat Kingcade, OGC/Trustee File
Terry Hansen, ABB Environmental Services, Tallahassee
Satish Kastury, FDEP Tallahassee
Brian Cheary, FDEP Northeast District, Jacksonville

Enclosure (1)

TB B JJC MESN ESN